




1

Double and single small diameters <u>waterproofing pipe sleeves</u>



Double	Single
HL800.2 /40-50	HL800/40-50
HL800.2 /63-75	HL800/63-75
PVC	PVC
HL800P.2 /40-50	HL800P /40-50
HL800P.2 /63-75	HL800P /63-75


All products from series HL800 ensures optimal connection of hydro isolation and a pipe in cellar walls. Due to a need for more solutions we can now supply 8 new variants. We can now offer a solution for, mainly, heating pumps pipes and their connection to a hydro isolation. These are HL800.2 variants (in diameters 40-50 and 63-75) with bitumen or PVC (P) flange. Also, we are now delivering solutions for small pipes, as well. It could be ordered in two dimensions HL800/40-50, and HL800/63-75, with bitumen or PVC (P) flange.

Advantages:

- Very easy connection of pipes with hydro isolation
- Available variants with bitumen or PVC flange
- Double pipe sleeve for warm pumps
- More possibilities with more diameters
- It can hold up to 0,6 bars of water pressure (6 meters)
- It can hold on up to 10% of possible deviation
- It helps cellar stays dry and useful



• Product



Recommendations:

- Diameters of PVC version is equal to pictures shown above
- All mentioned products were made for smooth outer diameter 40-50 mm, or 63-75 mm
- Material: PP, bitumen, PVC (in P versions), and rubber

Spare parts:

- HL0800.4E Nut for DN40-50 (HL800(P).2/40-50, and HL800(P)/40-50)
- HL0800.5E Nut for DN63-75 (HL800(P).2/63-75, and HL800(P)/63-75)

Product	Dimension	EAN-Code	Weight
HL800.2/40-50	$\emptyset 40 - 50 \text{ mm}$	900307603828	1538g
HL800P.2/40-50	$\emptyset 40 - 50 \text{ mm}$	900307603833	1487g
HL800.2/63-75	Ø 63 – 75 mm	900307603829	1693g
HL800P.2/63-75	Ø 63 – 75 mm	900307603834	1325g
HL800/40-50	Ø 40 – 50 mm	900307603830	851g
HL800P/40-50	Ø 40 – 50 mm	900307603831	619g
HL800/63-75	Ø 63 – 75 mm	900307603832	953g
HL800P/63-75	Ø 63 – 75 mm	900307603827	714g
Other products from HL800 Series			
HL800/110	Ø 110 - 115 mm		
HL800/125	Ø 125 - 130 mm		
HL800/160	Ø 160 - 165 mm		
HL800P/110	Ø 110 - 115 mm		
HL800P/125	Ø 125 - 130 mm		
HL800P/160	Ø 160 - 165 mm		

All products from HL800 Series, available with bitumen or PVC (P) flange:

- Packaging: Carton box.
- **Price**: see pricelist
- Products are available from 1. September 2014

HL HUTTERER & LECHNER GmbH. Brauhausgasse 3 -5 , 2325 HIMBERG, Tel.: +43/(0)2235/86291-0; FaxDW 31 od. 52; http://www.hutterer-lechner.com; e-mail: office@hutterer-lechner.com